

# COMPUTER

# STD 10

## QUESTION BANK OF IMPORTANT MCQS

+

## PRACTICAL NOTES

ACCORDING TO LATEST  
PAPER PATTERN OF BOARD



NUZHAT MEMON



# INDEX & PATTERN

## GSEB SYLLABUS FOR THE COMPUTER STD 10 COMPUTER (ENGLISH MEDIUM)

Chapter No.	Chapter Name	Page No.
1	Introduction to HTML	2
2	Head and Body Sections	12
3	Handling Images in HTML	-
4	List and Table Handling in HTML	-
5	Introduction to Calc	22
6	Data Editing and Formatting in Calc	29
7	Functions in Calc	40
8	Charts in Calc	-
9	Problem and Problem Solving	51
10	Introduction to C Language	56
11	Data Types, Operators and Expression in C language	65
12	Using I/O Operations	73
13	Decision Structures	81
14	Loop Control Structures	89
15	Arrays	-
16	Function	-
PRACTICAL CODE NOTES		
17	HTML Practical	98
18	CALC Practical	113
19	C Language Practical	126

### MARKS ALLOCATION

Chapter No.	Chapter Name	ANNUAL EXAM	
		THEORY	PRACTICAL
1	Introduction to HTML	6	8
2	Head and Body Sections	7	7
5	Introduction to Calc	3	4
6	Data Editing & Formatting in Calc	4	6
7	Functions in Calc	5	5
9	Problem and Problem Solving	3	-
10	Introduction to C Language	4	10
11	Data Types, Operators and Expression in C Language	6	
12	Using I/O Operations	4	10
13	Decision Structures	4	
14	Loop Control Structures	4	
	<b>Total</b>	<b>50</b>	<b>50</b>

# CHAPTER 1

## INTRODUCTION TO HTML

### Computer Networks and Internet Basics

1. What term is used for group of connected computer that can share resources?  
(A) Software            (B) Website            (C) Internet            (D) Network
2. What is a collection of multiple computer networks known as network of networks?  
(A) extranet            (B) intranet            (C) internet            (D) None of these

### WWW (World Wide Web) Overview

3. What kind of information is available on computer platform?  
(A) Centralized            (B) Local            (C) Distributed            (D) Isolated
4. On the platform of the internet, a distributed information exists is called as \_\_\_\_  
(A) Web            (B) WWW  
(C) World Wide web            (D) All of these
5. What is the full form of WWW?  
(A) Web Wide World            (B) World Web Wide  
(C) World Wide Web            (D) World Wide World
6. How is the WWW or “World Wide Web” commonly called in brief?  
(A) Net            (B) Internet            (C) Web            (D) None of these
7. Which of the following is a repository of multimedia information on the internet platform?  
(A) text            (B) link            (C) web            (D) None of these
8. Who was the one to give notation of www? **OR** Who first thought of web?  
(A) Richard Stallman            (B) Linus Torwalds  
(C) Bill Gates            (D) Tim Berner's Lee
9. In which year did Tim Berners Lee thought of Web? **OR**  
The notion of the Web was conceived in which year by Tim Berners Lee?  
(A) 1991            (B) 1992            (C) 1993            (D) 1994
10. In which organization did Tim Berner’s Lee thought of web?  
(A) CENR, America            (B) CERN, Switzerland  
(C) CNRE, India            (D) CRNE, Europe
11. Full form of CERN is \_\_\_\_\_  
(A) European Organization for Numerical Research  
(B) European Organization for Nuclear Research  
(C) European Organization for National Research  
(D) European Organization for Network Research

### Web Browser and Hyperlink

12. The web content in form of web pages are explored using \_\_\_\_\_ that is special application to retrieve and view web information. **OR**  
Which software applications is used to retrieve and view web information?

# CHAPTER 1

- (A) Server                      (B) Client                      (C) Browser                      (D) None of these
13. On web pages, \_\_\_\_\_ are place pointing towards different locations.  
(A) Buttons                      (B) Images                      (C) Videos                      (D) Links
14. On web pages, links are place pointing towards different locations are known as \_\_\_\_\_ show different places of webpages that redirect the user to an intended (desired) location.  
(A) Hypertext                      (B) Hypermedia                      (C) Hyperlink                      (D) Hyperimage
15. Which type of information can be connected with hyperlink?  
(A) Text                      (B) Picture                      (C) Diagram                      (D) All of these
16. What type of information cannot be directly expressed on the web?  
(A) Text                      (B) Hyperlink                      (C) Both A and B                      (D) None of these

## HTML Basics

17. To display the web content, which markup language is needed? **OR**  
Which of the following is considered as a language for describing web pages? **OR**  
\_\_\_\_\_ is a documentation language to mark content of web pages. **OR**  
\_\_\_\_\_ is machine independent and all internet browsers accept the content written using this code.  
(A) XML                      (B) HTML                      (C) BCPL                      (D) SGML
18. What kind of language is HTML?  
(A) markup language                      (B) documentation language  
(C) machine-independent language                      (D) All of these
19. Which of the following is the full form of HTML?  
(A) Hot Text Manipulation Language                      (B) Hyper Text Manipulation Law  
(C) Hyper Text Markup Language                      (D) Hidden Text Markup Language
20. A markup language is a set of \_\_\_\_\_ that enables additional information (besides the content) on how to present the web content. **OR**  
The HTML is the most popular markup language; it offers fixed set of \_\_\_\_\_  
(A) servers                      (B) clients                      (C) browsers                      (D) tags
21. Which type of information can be incorporated in an HTML document?  
(A) Multimedia information                      (B) Text information  
(C) Address and path of filename                      (D) All of these
22. HTML files are \_\_\_\_\_ files that contain additional formatting markup information in form of tags along with its content.  
(A) Text file                      (B) Image file                      (C) Graphic file                      (D) Sound file
23. HTML is derived form of \_\_\_\_\_  
(A) BCPL                      (B) SGML                      (C) IDE                      (D) ANSI
24. Which of the following is the full form of SGML?  
(A) Standardized General Markup Language  
(B) System General Manipulation Law  
(C) Standardized Gnome Markup Law

# CHAPTER 1

- (D) Standardized Gigabyte Markup Language
25. Who prepared Standardized General Markup Language (SGML)?  
(A) Microsoft (B) ASCII (C) ISO (D) ANSI
26. In which year was SGML developed by the ISO?  
(A) 1991 (B) 1990 (C) 1989 (D) 1986
27. ISO stands for \_\_\_\_\_  
(A) International organization for standards  
(B) Information System Organization  
(C) International Standard Organization  
(D) Input System Organization

## HTML Tag and Element

28. HTML tag is enclosed within \_\_\_\_\_ **OR**  
Which bracket is used in HTML code?  
(A) Square bracket [ ] (B) Rounded bracket ( )  
(C) Angular bracket < > (D) Curly bracket { }
29. Several sets of angular brackets with words or letters within them known as \_\_\_\_\_ **OR**  
Which of the following is made up of letters, words and numbers enclosed between a left and right angular bracket?  
(A) tag (B) element (C) title (D) body
30. A combination of opening and closing tag along with some content between the two tags forms a/an \_\_\_\_\_ **OR**  
The pair of tags and the content within them forms an HTML \_\_\_\_\_  
(A) tag (B) element (C) title (D) body
31. Which of the following refers to an HTML element?  
(A) An opening tag, Content and a Closing Tag  
(B) Angular brackets  
(C) Content  
(D) Any of these
32. Which is the middle part of the constitution of a tag?  
(A) Opening tag (B) Closing tag  
(C) Content (D) Any of these
33. What is placed after closing tag to marks the end of an element in HTML?  
(A) Straight slash ( \ ) (B) Forward slash ( / )  
(C) Straight line ( | ) (D) Exclamation mark ( ! )  
NOTE: It is also known as Reverse slash
34. The element having starting and closing tags are called \_\_\_\_\_  
(A) Unpaired tag (B) Empty tag  
(C) Paired tag (D) Non-empty tag

# CHAPTER 1

## Structure of an HTML document

35. Which of the following content embedded between tags is for the whole document?  
(A) `<p> ... </p>` (B) `<h1> ... </h1>`  
(C) `<html> ... </html>` (D) None of these
36. Which tag determines the main part of HTML document?  
(A) `<html>` (B) `<head>` (C) `<title>` (D) `<body>`
37. The body section of an HTML is written between \_\_\_\_\_ tags.  
(A) `<html>` and `</html>` (B) `<head>` and `</head>`  
(C) `<body>` and `</body>` (D) `<body>` and `<body>`
38. The text of the \_\_\_\_\_ element is not part of the text of the document.  
(A) `body` (B) `html` (C) `title` (D) All of these
39. The `<title >` tag appear within which tag pair?  
(A) `<html>` (B) `<head>` (C) `<title>` (D) `<body>`
40. The \_\_\_\_\_ tag defines the title of the web page generated by the HTML code.  
(A) `<head>` (B) `<title>` (C) `<header>` (D) `<lable>`
41. Which of the following tag refers to heading?  
(A) `<h1>` (B) `<head>` (C) `<pre>` (D) `<tt>`
42. Which of the following content embedded between tag is known as heading?  
(A) `<p> ... </p>` (B) `<h1> ... </h1>`  
(C) `<html> ... </html>` (D) `<head> ... </head>`
43. Which of the following content embedded between tag is known as paragraph?  
(A) `<p> ... </p>` (B) `<h1> ... </h1>`  
(C) `<html> ... </html>` (D) None of these

## HTML Editor (Gedit)

44. The path to open Gedit editor is \_\_\_\_\_  
(A) Accessories → Application → gedit (B) Application → Accessories → gedit  
(C) Applications → Gnome → gedit (D) Gnome → Application → gedit
45. The gedit is a general purpose text editor for \_\_\_\_\_  
(A) GNOME (B) MS (Microsoft) Windows  
(C) Mac OS (D) All of the above
46. GNOME is a project of what?  
(A) GNU (B) GNAME (C) Gedit (D) GNOME
47. GNOME is a free software created by which institute?  
(A) ANSI (B) ASCII (C) MIT (D) POSIX
48. What is the extension of HTML file?  
(A) `.htm` (B) `.html` (C) A or B (D) `.hml`
49. What default name does gedit editor give to a file?  
(A) File1 (B) Document1  
(C) Unsaved1 (D) Untitled1

# CHAPTER 1

50. What is used to open the HTML document prepared in gedit?  
(A) Text Editor (B) Web Application  
(C) Web browser (D) Graphic Editor
51. Which option is used to open HTML document in browser?  
(A) File → Start (B) File → Open  
(C) File → Build (D) File → Define

## HTML Sections and Basic Tags

52. HTML document is divided into how many section? **OR**  
Which of the following option is a part of HTML document?  
(A) 2 (B) 3 (C) 4 (D) 5
53. What are the two sections of HTML document?  
(A) physical and logical (B) head and body  
(C) title and content (D) head and title
54. Which section contains information about the page such as title and description of the page?  
(A) Head (B) Body (C) HTML (D) All of these
55. Head section and body section are covered between which tags?  
(A) <head> ... </head> (B) <body> ... </body>  
(C) <html> ... </html> (D) <title> ... </title>
56. The heading of the webpage is represented by which element?  
(A) head (B) title (C) body (D) html
57. The title element of HTML document is under which section?  
(A) Head section (B) Body section  
(C) Both A and B (D) None of these
58. Which of the following is true about title element?  
(A) A document should have only one title element.  
(B) Title is used to identify the document content in a general way.  
(C) The content of title is not a part of the document text.  
(D) All of these
59. Which of the following should be simple text and cannot contain any special commands such as hyperlink?  
(A) head element (B) title element  
(C) body element (D) html element
60. The \_\_\_\_\_ appears as a label of the window displaying the text and also holds a place in a browser's history or bookmark list.  
(A) head (B) body (C) html (D) title
61. HTML document generally begins with \_\_\_\_\_  
(A) Title (B) Heading (C) Label (D) Body
62. How many types of heading are there in HTML ?  
(A) 4 (B) 5 (C) 6 (D) 7

# CHAPTER 1

63. \_\_\_\_\_ is the highest heading size and \_\_\_\_\_ is the smallest heading size  
(A) H6, H1 (B) H1, H6  
(C) H1, H2 (D) H5, H6
64. The content of the \_\_\_\_\_ element is similar to the default content size.  
(A) H2 (B) H3 (C) H4 (D) H5
65. Most browsers display the contents of which elements larger than the default size of text in the document?  
(A) <h1> (B) <h2> (C) <h3> (D) All of the above
66. The \_\_\_\_\_ tag structures the content into a paragraph.  
(A) <paragraph> (B) <para> (C) <p> (D) None of these
67. Which of the following is true?  
(A) multiple blank space & carriage returns will be considered as a single space.  
(B) The text will automatically take up the full width of the screen.  
(C) If you resize the browser window then text will wrap onto new lines.  
(D) All of these
68. What is the full form of <br> tag?  
(A) brief (B) break  
(C) broke (D) None of these
69. Which of the following refers to a singular tags that do not require content? **OR**  
The element does not have opening and closing tags is known as \_\_\_\_\_  
(A) Compete (B) Empty (C) Null (D) Void
70. Which of the following tags are known as empty tags?  
(A) <p> (B) <h1> (C) <br> (D) All of these
71. Which of the following tag is used for multiple lines? **OR**  
Which tag just pushes the coming text into next line? **OR**  
Which tag in paragraph forces compulsory break into the content and disturbs text wrapping while presentation and resizing the browser window? **OR**  
Using \_\_\_\_\_ in a paragraph gives a forced break in the text. **OR**  
Which tag is used to show the end of a line? **OR**  
Which tag is used to start a new line?  
(A) <hr> (B) <br> (C) <pre> (D) <p>
72. Advanced version like \_\_\_\_\_ uses <br /> tag.  
(A) FHTML (B) DHTML (C) XHTML (D) YHTML
73. Which of the following tag is used to display text with multiple white spaces and multiple lines without wanting to be changed it by the browser?  
(A) <p> (B) <br> (C) <pre> (D) All of the above
74. Which of the following show content into pre-formatted tag ?  
(A) <br>...</br> (B) <p>...</p>  
(C) <pre>...</pre> (D) <h1>...</h1>

# CHAPTER 1

75. Match the following

(1) Display content into bold letters	A. <tt>
(2) Display content with underline letter	B. <b>
(3) Display content into italic letters	C. <s>
(4) Display content with a strikethrough a thin line	D. <i>
(5) Display content in typewriter type of font	E. <u>

- (A) 1→A, 2→B, 3→C, 4→D, 5→E    (B) 1→B, 2→E, 3→D, 4→C, 5→A  
 (D) 1→D, 2→C, 3→B, 4→A, 5→E    (D) 1→C, 2→B, 3→A, 4→D, 5→E

76. The tag <s> can be used for ?

- (A) <straight>    (B) <strike>    (C) <strong>    (D) None of these

77. What kind of fonts are typewriter fonts known as?

- (A) Mono-spaced font    (B) Tele-type machine font  
 (C) Option A or B    (D) None of these

78. Match the following

(1) Content is displayed one font size smaller than the rest	A. <sup>
(2) Content is displayed one font size bigger than the rest	B. <small>
(3) Content is displayed in superscript	C. <sub>
(4) Content is displayed in subscript	D. <dfn>
(5) Define the content as an acronym	E. <q>
(6) Defines a special term	F. <acronym>
(7) Defines a quote	G. <big>

- (A) 1→G, 2→A, 3→C, 4→B, 5→F, 6→E, 7→D  
 (B) 1→A, 2→F, 3→C, 4→B, 5→E, 6→D, 7→G  
 (C) 1→B, 2→G, 3→A, 4→C, 5→F, 6→D, 7→E  
 (D) 1→B, 2→G, 3→A, 4→C, 5→F, 6→D, 7→E

79. <sup> tag displays content in \_\_\_\_\_

- (A) superscript    (B) super    (C) script    (D) subscript

## Hyperlink, Webpage and Website

80. Set of words or text that appears in different colour (generally blue and underlined) are called \_\_\_\_\_ **OR**

\_\_\_\_\_ is a way to link two HTML documents by creating a hypertext in a document and giving reference of the other document to it.

- (A) Hyperword    (B) Hyperbase    (C) Hyperlink    (D) None of these

81. Which tag is used to create a hyperlink?

- (A) <hyperlink>    (B) <link>    (C) <a>    (D) <hlink>

82. In HTML 'a' stands for? **OR**

What does tag <a> mean ?

- (A) Attributes    (B) Anchor    (C) Align    (D) None of these

# CHAPTER 1

83. Full form of href \_\_\_\_\_  
(A) hyperpoint reallocate (B) hyperimage resource  
(C) hypertext reference (D) hyperlink rapid
84. Which of the following is a collection of many web pages? **OR**  
\_\_\_\_\_ is a collection of electronically created web pages.  
(A) web page (B) web site (C) web server (D) web browser
85. Web page contains only fixed information known as \_\_\_\_\_ web pages.  
(A) static (B) dynamic (C) active (D) inactive

## HTML addresses

86. What are 2 ways of addresses in HTML?  
(A) connected, unconnected (B) absolute, stale  
(C) absolute, relative (D) relative, complete
87. The complete address is known as \_\_\_\_\_  
(A) relative (B) absolute (C) static (D) dynamic
88. `<a href="https://nuzhatmemon.com/standard-10/">` is an example of \_\_\_\_\_  
(A) relative address (B) absolute address  
(C) Both A and B (D) None of these
89. The source file is also called as \_\_\_\_\_  
(A) Parent file (B) Calling file (C) Referred file (D) Option A or B
90. Another file called using a hyperlink is called a \_\_\_\_\_ file.  
(A) Referred file (B) Called file (C) Parent file (D) Option A or B
91. The location of the called file is relative to the calling file (both in the same directory) is known as \_\_\_\_\_  
(A) relative (B) absolute (C) static (D) dynamic
92. If the referred file is located one directory above, we may prefix \_\_\_\_\_ to the filename.  
(A) // (B) \\ (C) ..\ (D) ../

## HTML attributes and values

93. Which tag specify additional formatting alongwith an HTML element? **OR**  
\_\_\_\_\_ tells more about the elements. **OR**  
\_\_\_\_\_ always appear on the opening tags of the elements that carry them.  
(A) tag (B) element (C) attribute (D) string
94. An attribute is made up of how many parts? **OR**  
Of how many parts are attribute made?  
(A) 2 (B) 3 (C) 4 (D) 5
95. What are the parts of attributes?  
(A) name (B) value (C) Both A and B (D) None of these
96. Which sign is placed between the name and the value of the attribute?  
(A) Non-equal ( $\neq$ ) (B) Equal (=)  
(C) Single quotes (' ') (D) Double quotes (" ")

# CHAPTER 1

97. The \_\_\_\_\_ of an attribute indicates the property to be set.  
(A) name (B) value (C) symbol (D) sign
98. Which of the following tags associate the original file with the referenced file?  
(A) `<a href> ... </a>` (B) `<b>... </b>`  
(C) `<title>... </title>` (D) None of these
99. What is the name of the attribute in `<a href="rainbow.html">` ?  
(A) a (B) href  
(C) rainbow.html (D) None of these
100. What is the value of the attribute in `<a href="rainbow.html">` ?  
(A) a (B) href (C) rainbow.html (D) None of these
101. The value of the attribute is enclosed between which signs?  
(A) ' ' (B) " " (C) < > (D) ( )
102. How many value can be assigned to align attribute?  
(A) 2 (B) 3 (C) 4 (D) 5
103. By default, the content is aligned to the \_\_\_\_\_ of the page. **OR**  
Generally, In HTML document on which side of the page is writing placed?  
(A) left (B) center (C) right (D) None of these
104. Which attributes is used to align the text to the middle of the page?  
(A) Mid (B) Middle (C) Center (D) Epicenter
105. Which of the following attributes type can appear along with any tag?  
(A) Trivial (B) Preliminary (C) Unique (D) Universal
106. Which is the example of universal attribute?  
(A) Width (B) Height (C) Align (D) None of these
107. `<p align="right">` HTML `</p>` html coding has \_\_\_\_\_ property.  
(A) p (B) align (C) right (D) HTML
- HTML Spaces**
108. What kind of space are there in a paragraph?  
(A) input, output (B) blank, empty  
(C) hard, soft (D) None of these
109. Spaces inserted automatically are known as \_\_\_\_\_ **OR**  
\_\_\_\_\_ are some spaces automatically added for adjustment the content given in a paragraph.  
(A) Hard space (B) Soft space (C) Blank Space (D) White space
110. If users himself (manually) insert some space, such spaces are \_\_\_\_\_  
(A) Hard space (B) Soft space (C) Blank space (D) Default space
111. What type of space is added between `<pre>` and `</pre>`?  
(A) Hard space (B) Soft space (C) Blank space (D) Default space
112. What type of space is added between `<p>` and `</p>`?  
(A) Hard space (B) Soft space (C) Blank space (D) Default space

# CHAPTER 1

## HTML editor (SciTE)

113. Which is an editor used to create/edit an HTML document?  
(A) gedit (B) SciTE  
(C) Both (A) and (B) (D) None of these
114. Which of the following is an editor to edit an HTML document?  
(A) SciTE (B) BriTE (C) Light (D) SpiTE
115. Scite is based on free source code editing component called \_\_\_\_\_  
(A) Microsoft (B) GNOME (C) Apple IOS (D) Scintilla
116. What kind of component is Scintilla?  
(A) Free source editing (B) Proprietary source code editing  
(C) Master source code editing (D) Hard source code editing
117. Which option is used to view the result of HTML code in browser?  
(A) File → Go (B) Edit → Go  
(C) Tools → Go (D) View → Go
118. Which shortcut key is used to view result in browser HTML code?  
(A) F3 (B) F4 (C) F5 (D) F6

## HTML Versions

119. Which name identifies the latest version of HTML ?  
(A) HTML 3.0 (B) HTML 4.0 (C) HTML 5.0 (D) HTML 6.0

## Tag

120. Which tag define body of the document and will appears within the <html> tag pair?  
(A) <head> ... </head> (B) <body> ... </body>  
(C) <title> ... </title> (D) None of these

## ANSWER KEY

- |        |        |        |        |        |        |        |        |        |        |
|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| 1. D   | 2. C   | 3. C   | 4. D   | 5. C   | 6. C   | 7. C   | 8. D   | 9. A   | 10. B  |
| 11. B  | 12. C  | 13. D  | 14. C  | 15. D  | 16. C  | 17. B  | 18. D  | 19. C  | 20. D  |
| 21. D  | 22. A  | 23. B  | 24. A  | 25. C  | 26. D  | 27. A  | 28. C  | 29. A  | 30. B  |
| 31. A  | 32. C  | 33. B  | 34. C  | 35. C  | 36. D  | 37. C  | 38. C  | 39. B  | 40. B  |
| 41. A  | 42. B  | 43. A  | 44. B  | 45. D  | 46. A  | 47. C  | 48. C  | 49. D  | 50. C  |
| 51. B  | 52. A  | 53. B  | 54. A  | 55. C  | 56. B  | 57. A  | 58. D  | 59. B  | 60. D  |
| 61. B  | 62. C  | 63. B  | 64. C  | 65. D  | 66. C  | 67. D  | 68. B  | 69. B  | 70. C  |
| 71. B  | 72. C  | 73. C  | 74. C  | 75. B  | 76. B  | 77. C  | 78. D  | 79. A  | 80. C  |
| 81. C  | 82. B  | 83. C  | 84. B  | 85. A  | 86. C  | 87. B  | 88. B  | 89. D  | 90. D  |
| 91. A  | 92. D  | 93. C  | 94. A  | 95. C  | 96. B  | 97. A  | 98. A  | 99. B  | 100. C |
| 101. B | 102. B | 103. A | 104. C | 105. D | 106. C | 107. B | 108. C | 109. B | 110. A |
| 111. A | 112. B | 113. C | 114. A | 115. D | 116. A | 117. C | 118. C | 119. C | 120. B |

# CHAPTER 2

## HEAD AND BODY SECTIONS

### HTML sections

- In how many segments HTML document divided?  
(A) 2 (B) 3 (C) 4 (D) 5
- Which of the following form basic two sections of an HTML code?  
(A) Head and body (B) Physical and logical  
(C) Code and browser (D) Meta-tags and body
- Which section of the HTML document provides necessary information about the HTML document?  
**OR**  
Which tag is used to define information about document?  
(A) Head (B) Body (C) HTML (D) Title
- The content of the head section is included within \_\_\_\_\_ tags  
(A) <head> and <head> (B) </head> and </head>  
(C) <head> and </head> (D) </head> and <head>
- The first obvious thing that can be included into the head section is the \_\_\_\_\_  
(A) Background (B) Color (C) Font (D) Title
- If title is not specified, most browser displays the \_\_\_\_\_  
(A) URL path (B) Filename (C) A or B (D) Computer name
- Which of the following tag displayed as a title of the browser window? **OR**  
Title of a web page is embedded within which of the following?  
(A) <p> and </p> (B) <body> and </body>  
(C) <title> and </title> (D) <h1> and </h1>
- Failing to use the closing title tag results into \_\_\_\_\_  
(A) The whole content will be considered as title  
(B) The html document may not be loaded into the browser window  
(C) Both A and B  
(D) None of these
- What is the full form of URL?  
(A) Unified Resource Locator (B) Uniform Resource Locator  
(C) Uniform Resource Level (D) Unformatted Resource Lesson

### Meta-tags

- Which tag that provides additional information about the content and HTML document?  
**OR**  
How is the tag giving additional information in HTML known ?  
(A) Mega tag (B) Meta tag (C) Master tag (D) Main tag
- Which tag store information usually relevant to browsers and search engines?  
**OR** Addition of appropriate \_\_\_\_\_ tags describes nature of web page precisely.  
**OR** \_\_\_\_\_ makes it easy for a search engine to search the web page efficiently.  
(A) title tag (B) meta tag (C) head tag (D) body tag



## CHAPTER 2

12. In which section of HTML document is the meta-tag written? **OR**  
The meta-tags in an HTML document are written in which section?  
(A) Body (B) Code (C) Head (D) Special
13. Which of the following about a webpage is described when a meta-tag is used in HTML page?  
(A) Author, purpose and keyword (B) Layout  
(C) Style (D) Size
14. Which of the following is not a meta tag?  
(A) Description (B) Title (C) Keywords (D) Author
15. Which of the meta-tag attribute is present by most search engines as the search results to the user?  
(A) Description (B) Title (C) Keywords (D) Author
16. Which meta-tag attribute is used by search engine that enlisted as names of important characteristics, objective of the web page & important topics? **OR**  
Which of the following words are used by search engines? **OR**  
As what can names of important attributes, web page objects and important points be presented?  
(A) Mainwords (B) Keywords (C) Masterwords (D) Basewords
17. Which meta-tag attribute is used to specify the information about the author of the web page?  
(A) Creator (B) Writer (C) Author (D) Inventor
18. What some meta-tags tell about the web page?  
(A) The web page to load a specific URL after some seconds  
(B) Tags telling it that a certain page should not be cached  
(C) Option A or B  
(D) None of these
19. Which of the following syntax will refresh the web page after every seconds?  
(A) `<base http-equiv="REFRESH" content="5">`  
(B) `<meta http-equiv="REFRESH" content="5">`  
(C) `<link http-equiv="REFRESH" content="5">`  
(D) `<style http-equiv="REFRESH" content="5">`

### Comments in HTML

20. In HTML, which sign is used for comment? **OR**  
Which of the following tag show the beginning and end of comment in html?  
(A) `< - - and - ->` (B) `<! - - and - ->` (C) `<! - - and - -!>` (D) `</ - - and - -/>`
21. Comments are also referred as what?  
(A) Dot (B) Class (C) Prologue (D) Common
22. What allow you to provide additional information in the HTML code? **OR**  
Which of the following are not meant to be displayed?  
(A) Head (B) Title (C) Meta-tag (D) Comments

# STD 10 COMPUTER



**PERSONALITY NOTES + USEFUL STUDY MATERIAL**      **PRACTICAL NOTES + LABORATORY EXERCISE**



**REFER WEBSITE**  
[nuzhatmemon.com](http://nuzhatmemon.com)



**REFER YOUTUBE**  
[NuzhatMemon](https://www.youtube.com/NuzhatMemon)



**MAIL ME**  
[nuzhat.memon@gmail.com](mailto:nuzhat.memon@gmail.com)



# NUZHAT MEMON